

# Volunteer Lake Assessment Program Individual Lake Reports ROCKWOOD POND, FITZWILLIAM, NH


| MORPHOMETRIC DATA     |       |                 |         |                     |      |      | <u>CLASSIFICATION</u> | KNOWN EXOTIC SPECIES |
|-----------------------|-------|-----------------|---------|---------------------|------|------|-----------------------|----------------------|
| Watershed Area (Ac.): | 832   | Max. Depth (m): | 6.7     | Flushing Rate (yr¹) | 1.8  | Year | Trophic class         |                      |
| Surface Area (Ac.):   | 76    | Mean Depth (m): | 3.2     | P Retention Coef:   | 0.63 | 1977 | OLIGOTROPHIC          |                      |
| Shore Length (m):     | 2,600 | Volume (m³):    | 989,500 | Elevation (ft):     | 1111 | 1992 | OLIGOTROPHIC          |                      |

The Waterbody Report Card tables are generated from the 2012 305(b) report on the status of N.H. waters, and are based on data collected from 2001-2011.

| Designated Use             | Parameter               | Category    | Comments  |  |  |
|----------------------------|-------------------------|-------------|---|--|--|
| Aquatic Life               | Phosphorus (Total) Good |             | >/=5 samples and median is < threshold but > 1/2 threshold value.                     |  |  |
|                            | рН                      | Bad         | >10%, with a minimum of 2, samples exceed criteria, with 1 or more by a large margin. |  |  |
|                            | D.O. (mg/L)             | Encouraging | < 10 samples and no exceedance of criteria. More data needed.                         |  |  |
|                            | D.O. (% sat)            | Cautionary  | < 10 samples and 1 exceedance of criteria. More data needed.                          |  |  |
|                            | Chlorophyll-a           | Good        | >/=5 samples and median is < threshold but > 1/2 threshold value.                     |  |  |
| Primary Contact Recreation | E. coli                 | No Data     | No Data for this parameter.   |  |  |
|                            | Chlorophyll-a           | Very Good   | At least 10 samples with 0 exceedances of criteria.                                   |  |  |

## **WATERSHED LAND USE SUMMARY**

Fry, J., Xian, G., Jin, S., Dewitz, J., Homer, C., Yang, L., Barnes, C., Herold, N., and Wickham, J., 2011. Completion of the 2006 National Land Cover Database for the Conterminous United States, PERS, Vol. 77(9):858-864. For larger image contact NHDES.



| Land Cover Category        | % Cover | Land Cover Category | % Cover | Land Cover Category  | % Cover |
|----------------------------|---------|---------------------|---------|----------------------|---------|
| Open Water                 | 10.4    | Barren Land         | 0       | Grassland/Herbaceous | 0       |
| Developed-Open Space       | 3.23    | Deciduous Forest    | 27.81   | Pasture Hay          | 0.97    |
| Developed-Low Intensity    | 0.12    | Evergreen Forest    | 18.89   | Cultivated Crops     | 0       |
| Developed-Medium Intensity | 0       | Mixed Forest        | 36.18   | Woody Wetlands       | 2.41    |
| Developed-High Intensity   | 0       | Shrub-Scrub         | 0       | Emergent Wetlands    | 0       |




# VOLUNTEER LAKE ASSESSMENT PROGRAM INDIVIDUAL LAKE REPORTS ROCKWOOD POND, FITZWILLIAM, NH

**2012 DATA SUMMARY** 

#### **OBSERVATIONS AND RECOMMENDATIONS** (Refer to Table 1 and Historical Deep Spot Data Graphic)

- **♦ CHLOROPHYLL-A:** Chlorophyll levels were very low, have decreased since 2010, and were less than the NH lake median. Historical trend analysis indicates chlorophyll tends to fluctuate from year to year.
- **♦ CONDUCTIVITY/CHLORIDE:** Conductivity levels were low and below the NH lake median.
- ♦ TOTAL PHOSPHORUS: Epilimnetic (upper water layer) phosphorus levels were low and less than the NH lake median. Historical trend analysis indicates a relatively stable epilimnetic phosphorus level since monitoring began. Hypolimnetic (lower water layer) and Outlet phosphorus levels were also low.
- Transparency: Transparency improved slightly from 2011 and was greater than the NH lake median. Historical trend analysis indicates a relatively stable transparency since monitoring began.
- **♦ TURBIDITY:** Turbidity was low at all stations.
- PH: pH levels tend to be less than desirable and potentially critical to aquatic life.
- RECOMMENDED ACTIONS: Increase monitoring frequency to three times per summer to better assess shifts in summer water quality and historical trends. Logging activity was noted in the watershed however tributaries were dry and limited the ability to assess the impact to the lake. Watch for increased erosion, turbidity and sedimentation in the tributary and lake, and if noted, contact DES. Keep up the great work!

#### **Dissolved Oxygen & Temperature Profile**



|                  | Table 1. 2012 Average Water Quality Data for ROCKWOOD POND |         |       |         |      |      |       |      |
|------------------|--|---------|-------|---------|------|------|-------|------|
|                  | Alk.   | Chlor-a | Cond. | Total P | Tra  | ans. | Turb. | рН   |
| Station Name     | mg/l   | ug/l    | uS/cm | ug/l    | r    | n    | ntu   |      |
|                  |  |         |       |         | NVS  | VS   |       |      |
| Deep Epilimnion  | 1.6  | 1.84    | 29.8  | 8       | 4.55 | 4.53 | 0.65  | 6.30 |
| Deep Hypolimnion |  |         | 31.3  | 11      |      |      | 0.84  | 5.76 |
| Outlet           |  |         | 30.2  | 7       |      |      | 0.61  | 6.25 |

**NH Median Values:** Median values for specific parameters generated from historic lake monitoring

data.

Alkalinity: 4.9 mg/L Chlorophyll-a: 4.58 mg/m<sup>3</sup> Conductivity: 40.0 uS/cm Chloride: 4 mg/L

Total Phosphorus: 12 ug/L Transparency: 3.2 m

**pH:** 6.6

**NH Water Quality Standards:** Numeric criteria for specific parameters. Results exceeding criteria are considered a

water quality violation.

Chloride: < 230 mg/L (chronic)
E. coli: > 88 cts/100 mL – public beach
E. coli: > 406 cts/100 mL – surface waters
Turbidity: > 10 NTU above natural level
pH: 6.5-8.0 (unless naturally occurring)

## **HISTORICAL WATER QUALITY TREND ANALYSIS**

| Parameter               | Trend    | Explanation  |
|-------------------------|----------|--|
| Chlorophyll-a           | Variable | Data fluctuate annually, but are<br>not significantly increasing or<br>decreasing. |
| Transparency            | Stable   | Data not significantly increasing<br>or decreasing.                                |
| Phosphorus (epilimnion) | Stable   | Data not significantly increasing or decreasing.                                   |

This report was generated by the NH DES Volunteer Lake Assessment Program (VLAP). For more information contact:

Sara Steiner PO Box 95 Concord, NH 03302-0095 (603) 271-2658 sara.steiner@des.nh.gov



